


I.301+x

Revolving handles



- **Material**
Phenolic based (PF) Duroplast.
Handle I.301+x with length L = 28, polyamide based (PA) technopolymer.
Resistant to solvents, oils, greases and other chemical agents.
- **Colour**
Black, glossy finish.
- **Assembly**
Zinc-plated steel shank, hexagon socket at threaded end.




Standard Elements		Main dimensions			Threaded shank			△△
Code	Description	L	D	d ₁	d _{6g}	h	s	g
23001	I.301/28+x-M6	28	14	11	M6	10	3	13
23101	I.301/40+x-M6	40	18	15	M6	13	3	27
23201	I.301/50+x-M6	50	21	17	M6	13	3	37
23202	I.301/50+x-M8	50	21	17	M8	13	4	38
23301	I.301/65+x-M8	65	23	19	M8	15	4	75
23302	I.301/65+x-M10	65	23	19	M10	17	5	77
23401	I.301/80+x-M8	80	26	21	M8	15	4	95
23402	I.301/80+x-M10	80	26	21	M10	17	5	98
23501	I.301/90+x-M10	90	28	22	M10	17	5	118
23601	I.301/100+x-M10	102	31	25	M10	17	5	143
23602	I.301/100+x-M12	102	31	25	M12	20	5	160
23701	I.301/115+x-M10	116	29	23	M10	17	5	143

I.601+x

Revolving handles



- **Material**
High resilience polypropylene based (PP) technopolymer. Resistant to solvents, oils, greases and other chemical agents.
- **Colour**
Black, matte finish.
- **Assembly**
Zinc-plated steel threaded shank, hexagon socket at threaded end.



Standard Elements		Main dimensions			Threaded shank			△△
Code	Description	L	D	d ₁	d _{6g}	h	s	g
24921	I.601/40+x-M6	40	18	15	M6	13	3	25
24931	I.601/50+x-M6	50	21	17	M6	13	3	35
24941	I.601/56+x-M6	56	22	18	M6	13	3	40
24951	I.601/65+x-M8	65	23	19	M8	15	4	68
24952	I.601/65+x-M10	65	23	19	M10	17	5	70
24961	I.601/80+x-M8	80	26	21	M8	15	4	75
24962	I.601/80+x-M10	80	26	21	M10	17	5	78
24971	I.601/90+x-M10	90	28	22	M10	17	5	85
24972	I.601/90+x-M12	90	28	22	M12	20	5	100