



Spherical washer-female DIN 6319



Washer DIN 6340



ROSTFREI  
Inox  
Stainless  
Steel

**2 Type**

**B** with one-sided spherical seating

**1**

d <sub>1</sub>		d <sub>2</sub> H14	e	m	A/F	r
Steel	Stainless Steel		min.			
M 8	M 8	9	14,4	12	13	11
M 10	M 10	11,5	17,8	15	16	15
M 12	M 12	14	20	18	18	17
M 14	M 14	16	24,6	21	22	20
M 16	M 16	18	26,8	24	24	22
M 20	M 20	22	33,5	30	30	27
M 24	-	26	40	36	36	32
M 30	-	32	51,3	45	46	41
M 36	-	38	61,3	54	55	50

**Specification**

- Steel
  - Tensile strength class 10 (1000 N/mm<sup>2</sup>)
  - blackened
- Stainless Steel AISI 303 **NI**
- ISO-Fundamental Tolerances → Page 1132
- Stainless Steel characteristics → Page 1144
- RoHS compliant

**3**

**Information**

Hexagon nuts DIN 6330 are used on clamping, applications which require frequent clamping and unclamping (m = 1,5 x d<sub>1</sub>).

The spherical seating together with female washers DIN 6319 allows excessive positional inaccuracies to be equalized.

see also...

- Spherical washers DIN 6319 → Page 546
- Washers DIN 6340 → Page 539
- Heavy duty washers GN 6339 → Page 540

Steel-Hexagon nut <b>DIN 6330-M16-B</b>	<b>1</b> d <sub>1</sub>
	<b>2</b> Type

Stainless Steel-Hexagon nut <b>DIN 6330-M16-B-NI</b>	<b>1</b> d <sub>1</sub>
	<b>2</b> Type
	<b>3</b> Material