




Type OZ  
without centring step  
(smooth)



Type MZ  
with centring step



Type AV  
with male serration



Type IV  
with female serration




**2 Type**

- OZ without centring step (smooth)
- MZ with centring step
- AV with male serration
- IV with female serration

**3 Identification No.**

- 2 with Stainless Steel-Clamping screw DIN 912

Clamping kit



**1**

d <sub>1</sub> Bore B without slide bushing	Bore G with slide bushing	b Swivel width	d <sub>2</sub>	d <sub>3</sub> Clamping thread	d <sub>4</sub>	d <sub>5</sub> Mounting screw on the follower	k	Length l	m	s	Clamping kit for d <sub>3</sub>
B 30	G 30	40	8,5	M 8	M 8	M 4	40	95	43	13	GN 911-M 8-32
B 40	G 40	65	10,5	M 10	M 10	M 5	65	148	70	17	GN 911-M10-55
B 50	G 50	65	10,5	M 10	M 10	M 6	65	148	70	17	GN 911-M10-55

**Specification**

- Aluminium plastic coated black, RAL 9005, textured finish **● SW**
- Guide bore mechanically machined
- Slide bushing Polyamide
- Socket cap screws DIN 912 Stainless Steel AISI 304
- Hexagon nuts DIN 985 Stainless Steel AISI 304
- *Stainless Steel characteristics* → Page 1144
- **RoHS compliant**

**Accessory**

- Clamping kits GN 911 → Page 1031

**4**

**Information**

GN 274.1 swivel clamp linear actuator connectors are normally supplied **mounted** only in connection with a linear actuator and for function control.

By means of the clamping screw on the guide bore d<sub>1</sub> the movement can either be set or the linear actuator connector can be clamped (after setting of final adjustment).

The standard version of the clamping screw is a socket cap screw with hexagonal socket DIN 912. It can be replaced by a clamping kit GN 911 (article code see table of dimensions).

see also...

- *Linear actuators GN 291* → Page 1036
- *Linear actuators GN 292* → Page 1038
- *Linear actuators GN 293* → Page 1039

How to order

1	d <sub>1</sub>
2	Type
3	Identification No.
4	Finish

GN 274.1-B30-OZ-2-SW

3.1  
3.2  
3.3  
3.4  
3.5  
3.6  
3.7  
3.8  
3.9

